



The NE1V Oven/Incubators provide a stable temperature environment for general purpose applications and feature a digital PID controller for precision. The controls have an auto alarm and the insulated chamber ensures low energy consumption.

- ☐ Dual temperature display actual and set values.
- ☐ Stainless steel chamber
- ☐ Gravity convection chamber
- ☐ Exhaust outlet
- ☐ Lockable door
- ☐ Silicone door chamber seal
- ☐ 2 year warranty
- ☐ Made in Britain
- ☐ Anti-bacterial paint exterior
- ☐ Levelling feet, adjustable each corner
- ☐ Factory two point calibration, 37°C and 150°C

Clifton NE1 V Oven/Incubator

NE1V-32

NE1V-56

GENERAL	
Temp. Range	Ambient + 5°C - 250°C
Temp. Control	PID Digital, LED display showing actual and set temperature, resolution 0.1°C
Temp. Sensor	pt100 with diagnostics check on power up
Temp Fluctuation. 37°C	±0.3°C
Temp. Variation 37°C	±1.0°C
Temp. Fluctuation 150°C	±0.5°C
Temp. Variation 150°C	±2.0°C
Temp. Heat up 150°C	30 Minutes 40 Minutes
Temp. Control with timer program	Run back Timer 00:01 to 99:59 (hh:mm) at set temperature
Temp. Alarm	Over temperature alarm automatically set 5°C above set temperature
Temp. Door open recovery 150°C	16 Minutes
Over Temperature Limiter	Class 1
Shelf no. Supplied/ Max	1 wire / 2 max 2 wire / 4 max
Shelving Locations	Available 80mm spacing
Heater Power	1050W
Voltage	230V 50/60Hz
Energy use at 37°C	0.02kw/h
Energy use at 150°C	0.23kw/h
DIMENSIONS	
Chamber Capacity	32 Litre 56 Litre
External (mm)	740w x 460d x 560h 740w x 610d x 600h
Internal (mm)	400w x 270d x 320h 400w x 390d x 360h

Accessories for NE1 V-56

WS-32	Wire Shelf stainless steel for 32L
WS-56	Wire Shelf stainless steel for 56L



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.