



Glenamner
Laboratory Test Sieves

GEM 200

Analogue & Digital Shakers



Features

GEM 200 Digital has a digital display panel with an installed digital timer, users can set up the desired operation sieving time between 0 sec to 99 mins 59 secs.

The system features a pause/start option, which enables users to operate the shaker with intervals.

GEM 200 Analogue has an analogue timer to adjust the operating time between 0min-60min, users can simply turn the dial to the desired time to start the operation.



GEM 200 Analogue & Digital



Capacity

8 X 200mm Dia. (100mm, 150mm, 3" and 8") sieves plus lid and receiver.



Net Weight

20Kg



Max sample weight

3Kg



Sieve Motion

Electromagnetic



Speed

3,000/min at 50 Hz



Electrical Supply

230 Volt, 1 ph, 50 Hz, Input power 0.045 kw, current 0.20 amps



Height

140mm



Timer

Digital: 0sec - 99mins 59secs
Analogue: 0 - 60min



Net W x H x D

240mm x 140mm x 240mm



Type

8 x 200mm dia
(100mm, 150mm, 8")
sieves plus lid and receiver



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.