

# ACM 25

## Self Contained Ice Machine 10 kg

Item #:
Project:
Quantity:



### FEATURES

- Produces individual Gourmet crystal clear ice cubes. Hygienic ABS plastic exterior. Plug-n-play: does not require plumbing.
- • (Bottled) Water is hand-poured into reservoir. Ideal for areas with poor water quality. Front panel water reservoir level indicator.
- Water forming from melting ice cubes in the storage bin is re-circulated into reservoir.
- Simple and reliable electro-mechanic controls.
- Front panel in and out airflow (air-cooled model only) for built-in installation.
- Front access condenser air filter, removable and washable (air cooled model only).
- Easily accessible front panel mount ON-OFF switch.
- Ergonomically designed ice storage access, with disappearing door. Door-closing movement dampening system.



AC M 25  
Medium Gourmet 20 g  
Ø 30 x H 34 mm

### CONDENSING SYSTEM

Air cooled

### REFRIGERANT GAS

R134a

### VOLTAGE V/Hz/ph

230/50/1  
230/60/1

### INTERNAL BIN CAPACITY

3 kg

### CERTIFICATIONS



### OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10	38
Water temperature	5	38
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10	10

**IMPORTANT NOTICE:**  
Models and specifications are subject to change without notice.  
This spec sheet is meant for commercial purpose only.  
For technical documentation please refer to our service manuals.


Self Contained Ice Machine 10 kg

# ACM 25

## Self Contained Ice Machine 10 kg

Item #:
Project:
Quantity:

Self Contained Ice Machine 10 kg



UNIT DATA		SHIPPING DATA										
Size (W x D x H)		380 x 388 x 640 mm		Carton (W x D x H)		490 x 470 x 740 mm						
Net weight		31 kg		Weight		34 kg						
Version	Voltage	24 h ice production kg °C Amb. / °C Water			Energy consumption (*)		Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size	
		10°C/10°C kg	21°C/10°C kg	32°C/21°C kg	kWh/ 100 kg	kWh/ 24h	l/h	W	W	No. x Ømm²	A	
AC M 25 AE	230/50/1	10	10	9	92.0	6.0	0.3	270	510	3 x 1.0	10	
AC M 25 AE	230/60/1	10	10	9	92.0	6.0	0.3	270	510	3 x 1.0	10	

(\*) Data refer to 32°C Amb. / 21°C Water temperature conditions



# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.